

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

240001,240084,240036 List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer

Public Water Supply Name

must be	e mailed to the customers, published in a newspaper of local circulate	pulation served by the public water system, this CCR tion, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confid	lence Report
H	Customers were informed of availability of CCR by: (Attach copy	of publication, water bill or other)
	Advertisement in local paper On water bills Other AS MAIL OUT	US, POST OFICE
/	Date customers were informed: 6 124 / 110	2110 Pass Road Broxf MS, 39531
	CCR was distributed by mail or other direct delivery. Spe Date Mailed/Distributed: 6/18/10	U.S. POST OFICE
	CCR was published in local newspaper. (Attach copy of publishe Name of Newspaper: BAY PRESS	BILOXI MS, 39530
	Date Published: 6/24/10 CCR was posted in public places. (Attach list of locations) Date Posted: 6/30/10	POSTED ON 6/30/10
CERTI	CCR was posted on a publicly accessible internet site at the address	s: www. BELOXI, MS, US
the form	y certify that a consumer confidence report (CCR) has been distributed and manner identified above. I further certify that the information with the water quality monitoring data provided to the public of Health, Bureau of Public Water Supply.	tion included in this CCR is frue and correct and is
Name/	Title (President, Mayor, Owner, etc.)	Date
	Mail Completed Form to: Bureau of Public Water Supply Phone: 601-576-7518	v/P.O. Box 1700/Jackson, MS 39215

2010 JUN -2 AM 7: 26

2009 Annual Drinking Water Quality Report City of Biloxi PWS#: 0240001, 0240036 & 0240084 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Pascagoula Formation, Graham Ferry Formation and the Miocene Series Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request.

The wells for the City of Biloxi PWS ID#: 240001 have received a moderate susceptibility ranking to contamination; the wells for PWS ID#: 240036 have received moderate to higher susceptibility rankings to contamination; the wells for PWS ID #: 240084 have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Richard Sullivan at 228-435-6271. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first, third, and fourth Tuesdays of each month at 1:30 PM at the Biloxi City Hall at 140 Lameuse Street.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:	024000)1	Tl	EST RESUL	TS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
Inorganic	Contar	ninants							
10. Barium	N	2009	.003	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits	
13. Chromium	N	2009	1.7	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2005/07*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride**	N	2009	.377	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth discharge from fertilizer and aluminu factories	
17. Lead	N	2005/07*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
Disinfectio	n By-P	roducts	8						
81. HAA5	N	2009	10	No Range	ppb	0	60	By-Product of drinking water disinfection.	
82. TTHM [Total trihalomethanes]	N	2009	17.56	No Range	ppb	0	80	By-product of drinking water chlorination.	
Chlorine	N	2009	1.19	.44 – 1.19	ppm	0	MDRL = 4	Water additive used to control microbes	

PWS ID#:	024003	36	T	EST RESUL	TS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
Inorganic	Contar	ninants							
10. Barium	N	2008*	.008	.001008	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2008*	.8	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride	N	2008*	.335	.309335	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
Disinfection	n By-P	roducts	5						
81. HAA5	N	2009	11.66	10 - 20	ppb	0	60	By-Product of drinking water disinfection.	
82. TTHM [Total trihalomethanes]	N	2009	23.43	9.51 – 28.15	ppb	0	80	By-product of drinking water chlorination.	
Chlorine	N	2009	1.79	1.04 – 1.79	ppm	0	MDRL = 4	Water additive used to control microbes	

<u> </u>	N. P. a. L. Charles	D - 1 -	11	December of Detects	Unit	MCLG	MCL	Likely Source of Contamination	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Measure -ment	MCLG	MCL	Likely Source of Contamination	
Radioactiv	e Cont	aminan	its						
5. Alpha emitters	N	2008*	.37	.1637	pCi/L	0	15	Erosion of natural deposits	
6. Radium 226 Radium 228	N	2008*	.421 .419	.167421 .011419	pCi/1	0	5	Erosion of natural deposits	
7. Uranium ¹	N	2008*	.37	.1637	ug/L	0'	30	Erosion of natural deposits	
Inorganic 10. Barium	Contar	ninants 2008*	.006	.0206	ррт	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura	
13. Chromium	N	2008*	2	No Range	ppb	100	100	deposits Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride	N	2008*	.357	.159357	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth discharge from fertilizer and aluminur factories	
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
21. Selenium	N	2008*	.9	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines	
Disinfectio	n By-P	roducts	<u> </u>						
81. HAA5	N	2008*	10	No Range	ppb	0	6	By-Product of drinking water disinfection.	
82. TTHM [Total trihalomethanes]	N	2008*	51.51	No Range	ppb	0	8	By-product of drinking water chlorination.	
Chlorine	N	2009	1.54	.41 – 1.54	ppm	0	MDRL =	4 Water additive used to control	

^{*} Most recent sample. No sample required for 2009

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Biloxi works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.



Annual Report on the Quality of Drinking Water

Public Water Systems 0240001, 0240036 & 0240084

To: City of Biloxi water customers From: City of Biloxi

We are pleased to present the Annual Report on the Quality of Drinking Water, and we're proud to notify you that this latest assessment of the city's water systems shows that the drinking water your city is providing you on a daily basis either meets or exceeds all federal and state requirements.

Your drinking water is indeed safe.

This report provides detailed information on the quality of water and related services, and determines the overall susceptibility that the source of our water faces from identified potential contaminants. The report also advises you of our ongoing efforts to improve the water-treatment process and protect our community's water resources.

We are committed to ensuring the quality of the water we provide to you. Our supply of water, by the way, originates from wells that draw from the Pascagoula Formation, Graham Ferry Formation and the Miocene Series Aquifer.

We have learned through our monitoring and testing that some constituents have been detected; however, the Environmental Protection Agency has determined that the levels detected pose no health risk.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided in the accompanying chart. A report containing detailed information on how the susceptibility determinations were made is available for viewing upon request.

The wells for the City of Biloxi PWS ID#: 240001 have received a moderate susceptibility ranking to contamination; the wells for PWS ID#: 240036 have received moderate to higher susceptibility rankings to contamination; the wells for PWS ID #: 240084 have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Richard Sullivan at 228-435-6271. You may also attend a City Council meeting on either the first, third, or fourth Tuesday of each month at 1:30 p.m. at the Biloxi City Hall, 140 Lameuse Street.

We routinely monitor for constituents in your drinking water according to federal and state laws. The accompanying tables list all of the drinking water contaminants that we detected for testing conducted between Jan. 1 to Dec. 31, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results.

As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive

contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems.

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

As you can see by the accompanying table, our system had no contaminant violations.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples before the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons – such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants – can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

Bild	oxi Water Well Lis	sting
lealth Dept Tag N		Street Address
40001-01	Mople Street	162 Mople St
240001-04	Hospital Water Well	1123 Bayview Ave
240001-05	Greater Ave	1880 Greater Ave
240001-05	Porter Ave	1082 Irish Hill Dr
240001-07	New Boy Vista	2491 Pass Road
240001-09	Old Bay Vista	2434 Bay Visto Dr
240001-10	Brodford St Well	768 Bradford St
240001-10	Debuys Water Well	262 Debuys Rd
240001-12	Kuho St	199 Kuhn Street
240001-13	Ibeville	205 lberville Dr
240001-13	Park Circle Water Well	345 Park Dr
	Father Ryan	1352 Father Ryan Ave
240001-15	Pine Street Well	129 Pine St
240001-16	Tulis	369 Beach Blvd
240001-17	Inkeview	364 Lokeview
240001-18	North Rivervue	11186 H Riviere Vue Dr
240036-02	Ooklown	9339 Oaklown Dr
240036-03	North Ocklown	12351 N Oaklown Dr
240036-04	Hwy. 67 & Coklown	Hwy. 67 & Ooklown Dr
240036-05	Rustwood	2181 Rustwood Dr
240084-01	South Hill	1991 South Hill Dr
240084-04	N Biloxi #1	2145 Popp's Ferry Rd
240084-05	Vee Street	Vee Street
240084-06	Cedor Lake Subdivision	11412 Penton Dr
240084-07 240084-08	Bilaxi Sports Complex	765 Wells Dr

Here are definitions of some of the terms and abbreviations in the charts:

- Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Contaminant Level (MCL) The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) —
 The "Goal" (MCLG) is the level of a contaminant
 in drinking water below which there is no known
 or expected risk to health. MCLGs allow for a
 margin of safety.
- Parts per million (ppm) or Milligrams per liter (mgfl) – One part per million corresponds to one minute in two years or a single penny in \$10,000.
- Parts per billion (ppb) or Micrograms per liter— One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.
- Picocuries per liter (pCi/L) Picocuries per liter is a measure of the radioactivity in water.

Test Results of City of Biloxi Public Water Systems 0240001, 0240036 & 0240084

Contuminant	Violation Y/N	Put Date Collected	Level Detected	er System 2400 Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Co 10. Borism	ntaminant N	2009	.003	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2009	1.7	No Range	ppb	100	100	Discharge from steel and pulp mills; crosion of natural deposits
14. Copper	N	2005/07*	Л	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2009	.377	No Range	рот	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	H	2005/07*	4	0	ьър	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	By-Produ	ıcts				0	60	By-Product of drinking water disinfection
81. HAAS 82. THIM	H	2009 2009	10 17.56	No Range No Range	ppb	0	80	By-product of drinking water chlorination.
(Total triholomethanes Chlorine	N N	2009	1.19	.44 – 1.19	ppm	0	MDRL = 4	Water additive used to control microb

		Pul	one Wat	er System 240	U36 - 1est	Resu	ITS	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic C	Contaminan	ts						
10. Barium	N	2008*	.008	.001 — .008	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	.8	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.335	.309335	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n By-Produ	cts						*1
81. HAA5	N	2009	11.66	10 — 20	ppb	0	60	By-Product of drinking water disinfection
82. TTHM [Total trihalomethanes]	N]	2009	23.43	9.51 – 28.15	ppb	0	80	By-product of drinking water chlorination
Chlorine	N	2009	1.79	1.04 — 1.79	ppm	0	MDRL = 4	Water additive used to control microb

Contaminant	Violation	Date	Level	Range of Detects	Unit	MCLG	MCL	Likely Source of
	Y/N	Collected	Detected	or # of Samples Exceeding MCL/ACL	Measurement			Contamination
Radioactive	Contamina	ints						
5. Alpha emitters	N	2008*	.37	.16 — .37	pCi/L	0	15	Erosion of natural deposits
6. Radium 226	N	2008*	.421	.167 — .421	pCi/1	0	5	Erosion of natural deposits
Radium 228			.419	.011 <i>– .</i> 419				*
7. Uranivm¹	N	2008*	.37	.16 – .37	ug/L	0,	30,	Erosion of natural deposits
Inorganic C	ontaminan	ts						and the second s
10. Barium	N	2008*	.006	.02 — .06	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	2	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.357	.159357	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.9	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	ı By-Produ							
81. HAA5	N	2008*	10	No Range	ppb	0	60	By-Product of drinking water disinfectio
82. TTHM [Total trihalomethanes]	N I	2008*	51.51	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.54	.41 – 1.54	ppm	0	MDRL = 4	Water additive used to control microbe

^{*}Most recent sample. No sample required for 2009.

PROOF OF PUBLICATION

P.O. BOX 1209 BILOXI, MS 39533

STATE OF MISSISSIPPI COUNTY OF HARRISON

Before me, the undersigned Notary Public of Harrison County, Mississippi, personally appeared <u>VICKI L. FOX</u> who, being by me first duly sworn, did depose and say that she is a clerk of **THE BILOXI- D'IBERVILLE PRESS** newspaper published in Harrison County, Mississippi, and that publication of the notice, a copy of which is hereto attached, has been made in said paper 1 time in the following numbers and on the following dates of such paper, viz:

Vol. <u>38</u> No. <u>11</u> dated the <u>24</u> day of <u>June</u>, 2010

Affiant further states on oath that said newspaper has been established and published continuously in said county for a period of more than twelve months next prior to the first publication of said notice.

Clerk

Sworn to and subscribed before me this the <u>25th</u> day of <u>June</u>, 2010.

NOTARY PUBLIC

(SEAL)

ID No
28373
NOTARY PUBLIC
Comm Expires
June 23, 2013

Printer's Fee: \$ 1108.00

Furnishing proof of Publication:

\$____

P.O. # 20104751

Total Cost:

1108.00

Public Notice

Annual Report on the Quality of Drinking Water

To: City of Biloxiwater customers From: City of Bilixi

From: City of Bilots water customers
From: City of Bilots

We are pleasest to present the Annual Report on the Quality of Drinking Water, and we're proud's notify you that this latest assessment of the city's water systems shows that the disking water your city is providing you on a daily basis either meets or exceeds all fe'; all and state requirement.

Your drinking arter is indeed sale.

This report peridee detailed information on the quality of water and related services, and determines; by evenal susceptibility that the source of our water faces from identified poteral contaminants. The report also advises you of our ongoing efforts to improve the weet reament process and proceed rour community water resources.

We are committed to ensuring the quality of the water we provide to you. Our supply of water by the way originates from wells that draw from the Passagoula Formation, Chham Ferry Formation and the Miocene Series Aquifer.

We have beseed though no monitoring and tasting that some constituents have been detected, havever, the Environmental Protection Agency has determined that the levels detected pose no health risk.

The zonice vit a sessement has been completed for our public water system to determine the serall susceptibility and supply of water along the system are protected in the accompanying dark. A report contaming detailed information on how the secreptibility determinations were made is available for viewing upon respirat. The well for the City of Bilosi FWS IDs 240016 have received involved the properties of the properties of the contamination and the properties of the properties of

Test Results of City of Biloxi Public Water Systems 0240001, 0240036 & 0240084

Here are definitions of some of the terms and abbreviations in the charts:

• Action Level – The concentration of a contaminant which, if exceeded, triggers treatment of the requirements which a water system must follow.

• Maximum Contaminant Level (MCL) – The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best-available treatment technolow.

that is allowed in drinking water, MCLs are set as close to the evi-TOs is teasine, thing, the extendence treatment technology.

Mactinum Contaminant Level Goal (MCLQ) – The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Parts per million (ppm) or Milligrams per liter (mgfl) – One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Mirrograms per liter – One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCUL) – Picocunies per liter is a measure of the radioactivity in water.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	OOOL Tel Unit Measurement	WCIG	MC	Likely Source of Contamination
Inorganic	Contami	nants .						
10. Barium	Y	2009	003	No Rooge	Post.	2	1	Discharge of drilling worter, discharge from metal referen- erosion of notwest deposits
13. Oconsion	×	2009	11	No Range	PPÅ .	100	100	Discharge from steel and poly mals; erasion of natural depart
14, Copper	H	2005/07*	1	0	ppm	1.3	AL-13	Corresion of becomed plants systems; erosion of natural de leading from wood preserval
16 Flooride**	H	2009	307	Ho Reage	PS ITT	4	4	Erosion of actional deposits; in additive which promotes stra- discharge from furtilizer and aluminum factories.
17. Lead		2005/07*	1	0	pah	0	M=15	Corresion of household plants systems, eradion of natural d
Disinfect	on By.P	oducts						
B1. HAAS	1	2009	10	No Range	gob	- 0	80	By Product of displang water disc
82. TIHA [lotel tribelometh	i i	2009	17.56	No Rooge	ppb	. 0	80	By product of drinking water chlorination.
Chlorine	(4p)	2009	1,19	.44 - 1.19	pp/0	0	HORI = A	Water additive used to contro

Public Water System 240036 - Test Results	
	200
	draw.
Continuisment Violation Date Level Range of Detects Unit MCLG MCL Likely Source of	33
	.99
Y/N Collected Detected or # of Samples Measuroment Confirmmented	

As you can see by the accompanying table, our system had no contaminant violations. We are required to monitor your dranking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether our dranking safer meets the high standards. Septiming humany; 2004, the Misstappel State. Department of Health (MSDH) required public water systems that use chlorine as a primary distinction to the properties for chiome resultable as required by the Stage 1 Distinction By Products Rule. We did complete the monitoring requirements for facciteriological sampling that showed no colliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples before the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primaryly from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead expount by Husbing your op for 30 seconds to 2 minimize before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water to attribute exposure is available from the Safe Drinking Water Hotline or at intribution on lead in drinking water, therefore, and the provides high a plantine before using water for drinking or cooking. If you are concerned about lead in your water, you may she to have your water to a state of the provides high and the provides high a position of the provides high parties and produced to the provides high and the provides high parties and produced to the provi

	loxi Water Well I	
		Man Mari
240001-01	Acple Street	162 Maple St
240001-04	Hospital Water Well	1123 Boyview Ave
240001-05	Greater Ave	1880 Greater Ave
240001-06	Porter Ave	1082 trish Hill Dr
240001-07	New Bay Vista	2491 Pass Road
240001-09	Old Bay Visto	2434 Bay Visto Dr
240001-10	Bradford St Well	768 Brodford St
240001-11	Debuys Water Well	262 Debuys Rd
240001-12	Kuhn St	199 Kuhn Street
240001-13	Iberville	205 Iberville Dr
240001-14	Park Gride Water Well	345 Park Dr
240001-15	Father Ryan	1352 Father Ryon Ave
240001-16	Pine Street Well	129 Pine St
240001-17	Tullis	369 Beach Blvd
240001-18	Lokeview	364 Lokeview
240036-02	North Rivervus	11186 N Riviere Vue Dr
240036-03	Ooklavn	9839 Oaklown Dr
240036-04	North Ooklown	12351 N Ooklows Dr
240036-05	Hwy. 67 & Doldown	Hwy. 67 & Ooklown Dr
240084-01	Rustwood	2181 Rustwood Dr
240084-04	South Hill	1991 South Hill Dr
240084-05	N Biloxi #1	2145 Popp's Ferry Rd
240084-06	Vee Street	Vea Street
240084-07	Cedor Lake Subdivision	1.14) 2 Penton Dr
240084-08	Biloxi Sports Complex	765 Wells Or

								discharge from sweat refines worken of systems deposits
18, Gronium	*	2008*		No Range	pè	100	180	Discharge from steel god po
14. Copper	N	2008*	1	0	(feet	1,1	AL=1.3	Correspon of Inscription plants systems, president of colorest the backing from wood preserves
16 Floride	H	2004*	.335	309 - 235	bles	1	•	freson of control deposits of additive which promotes strong discharge from fertilizer and pluminum factories
17. Leod	N	\$908.	4	0	ppb	0	AL=15	Corresion of household plan systems, exosion of natural d
Disinfect	on By-	Products						
81: HAAS	Y	2009	11.66	10 20	ppb	0	40	By Product of dresking water d
87, TIHM Tiool vibelometro	y mol	2009	13.43	9.5) - 28.15	ppl	0	10	By-product of debiling water distribution
Chlorine	11	2009	129	1.84 - 1.79	1041	0:	MDM = 4	Water middless used to particular

Contrastruct			Telefie (Vator System 2	OCEAN FO	st Heatilia		
	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLO	MCL	Likely Source of Contamination
Radioactiv	re Contac	ninants						
5. Aloho emitters	Я	2008*	37	.1637	pQ/1	0	15	Erosion of natural deposits
6. Radium 226 Radium 228	¥	70081	.42) .419	.167 - 421 .011419	MO()	0		Execute of material deposits
7. Ureakon*	W	2008*	37	.16 - 31	w/l	r	30 °	Erosion el natural deposits
Inorganic	Contami	nants						
10. Barism	1	20081	.006	01 - 04	ppm	7	7	Discharge of dralling wortes; discharge from metal refraer prosper of autoral deposits
13. Oxondum	н	3008,	2	Ho Kange	ppb	100	100	Discharge from steel and put erosion of natural deposits
14 Copper	¥	\$008,	;l	0	No.	13	AL=1,3	Corresion of Insusabold plum systems: areason of noticed if leaching from wood preserve
16 Flooride	Y	20081	357	.159 - 357	ppen .	1	•	Eresion of natures deposits a additive which promotes strat- discharge from fertikess and aluminum factories
17. Lead	H	5008.	1	0	pob	0	AL=15	Corrosion of bousehold plant systems, arosion of pateral s
21, Selenion	1	20081	. 1	No Ronge	ppb	50	\$0	Discharge from petroleum or metal refinaries; arosion of deposits; discharge from me
Disinfecti	on By-Pr	oducts						
81. HAA5	H	2008*	10.	Ho Rosga	pyd)	0	60	By Product of drinking water
82. TTHA Clotel tribulomeths	# resi	2008"	51.51	Ho Range	bbp	0	80	By-product of drinking write chlorisation.
Objective	И	2009	154	41-154	para .	0	MDRL = 4	Worse additive used to contro

*Most recent sample. No sample required for 2009

Mayor A.J. Holloway and the Biloxi City Council George Lawrence • William "Bill" Stallworth • Lucy Denton Clark Griffith • Tom Wall • Edward "Ed" Gemmill • David Fayard



Turn your email into Bmail. Sign up at biloxi.ms.us for the most current news about your ci